

पेटेंट कार्यालय
शासकीय जर्नल

OFFICIAL JOURNAL
OF
THE PATENT OFFICE

निर्गमन सं. 47/2024
ISSUE NO. 47/2024

शुक्रवार
FRIDAY

दिनांक: 22/11/2024
DATE: 22/11/2024

पेटेंट कार्यालय का एक प्रकाशन
PUBLICATION OF THE PATENT OFFICE

(12) PATENT APPLICATION PUBLICATION

(19) INDIA

(22) Date of filing of Application :08/11/2024

(21) Application No.202411085983 A

(43) Publication Date : 22/11/2024

(54) Title of the invention : ESTIMATION OF RABEPRAZOLE SODIUM IN TABLET DOSAGE FORM BY USING UV-VIS SPECTROPHOTOMETER

(51) International classification :G01N21/93, G01N33/15, G01N31/22, G01N31/02, G01N31/31, G01N21/33, G01N23/06
(86) International Application No :NA
Filing Date :NA
(87) International Publication No : NA
(61) Patent of Addition to Application Number :NA
Filing Date :NA
(62) Divisional to Application Number :NA
Filing Date :NA

(71)Name of Applicant :

1)Prof. Navneet Verma

Address of Applicant :Pharmacy Academy, IFTM University, Moradabad, Uttar Pradesh, Pin Code: 244102 -----

2)Alok Singh

3)Dr. Prevesh Kumar

4)Diksha

Name of Applicant : NA

Address of Applicant : NA

(72)Name of Inventor :

1)Prof. Navneet Verma

Address of Applicant :Pharmacy Academy, IFTM University, Moradabad, Uttar Pradesh, Pin Code: 244102 -----

2)Alok Singh

Address of Applicant :Research Scholar, School of Pharmaceutical Sciences, IFTM University, Moradabad, Uttar Pradesh, Pin Code: 244102 -----

3)Dr. Prevesh Kumar

Address of Applicant :Pharmacy Academy, IFTM University, Moradabad, Uttar Pradesh, Pin Code: 244102 -----

4)Diksha

Address of Applicant :Pharmacy Academy, IFTM University, Moradabad, Uttar Pradesh, Pin Code: 244102 -----

(57) Abstract :

The present invention relates to a UV-Visible spectrophotometric method for accurately estimating rabeprazole sodium in tablet dosage forms. The procedure involves preparing a standard stock solution and dissolving, sonicating, and diluting tablet samples for measurement. A calibration curve established within a linearity range of 2-10 µg/ml ensures accurate concentration readings. Validated according to ICH guidelines, the method demonstrates precision, accuracy, linearity, robustness, and sensitivity, with low limits of detection (LOD) and quantitation (LOQ) suitable for detecting small quantities. Minor condition changes do not affect results, confirming its robustness and adaptability in routine analysis. This method is cost-effective, eco-friendly, and applicable to quality control in pharmaceutical settings.

No. of Pages : 12 No. of Claims : 6